Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



1,1422

UNITED STATES DEPARTMENT OF AGRICULTURE FRODUCTION AND MARKETING ADMINISTRATION COTTON BRANCH BAKERSFIELD, CALIFORNIA

RECEIVED

DUL 2 7 1951

NOVEMBER 21,84946

VOLUME XX No. 5

COTTON QUALITY REPORT FOR GINNINGS THROUGH NOVEMBER 13, 1946

AMERICAN-EGYPTIAN COTTON (SXP)

AMERICAN-EGYPTIAN (SXP) GINNINGS THROUGH NOVEMBER 13, 1946 CONTINUED TO SHOW A LARGER PRU-PORTION OF THE HIGHER GRADES AND LONGER STAPLES THAN GINNINGS THROUGH THE SAME DATE A YEAR AGO ACCORDING TO THE UNITED STATES DEPARTMENT OF AGRICULTURE.

CURRENT GINNINGS OF THIS GROWTH THROUGH NOVEMBER 13 TOTALED 1537 DALES ACCORDING TO THE BUREAU OF THE CENSUS.

ARIZONA-CALIFORMIA: AMERICAN-EGYPTIAN (SXP) COTTON GINNED IN ARIZONA-CALIFORNIA THROUGH MID-November this season was approximately 52 percent grades 1 and 1-1/2, almost 41 percent grades 2 and 2-1/2 and about 7 percent grade 3 and lower. In the corresponding period Last season, about 48 percent was grades 1 and 1-1/2 and approximately 52 percent was grades 2 and 2-1/2. Staples 1-1/2" and longer accounted for about 94 percent of this season's crop against only about 71 percent Last season.

NEW MEXICO-DISTRICT 6 OF TEXAS: AMERICAN-EGYPTIAN (SXF) GINNINGS IN NEW MEXICO-DISTRICT 6 OF
TEXAS THROUGH MID-NOVEMBER SHOWED A HIGH PROPORTION OF THE TWO TOP GRADES BOTH SEASONS. APPROXIMATELY 94 PERCENT OF CURRENT GINNINGS WAS GRADES I AND 1-1/2 AGAINST 90 PERCENT LAST SEASON. ONLY
ABOUT 80 PERCENT OF THIS SEASON'S GROP WAS 1-1/2" AND LONGER WHEREAS ALL GINNINGS THROUGH MIDNOVEMBER LAST SEASON WERE OF THIS LENGTHS.

GINNED	
COTTON GINNED	
((SXP)	
TH OF AMERICAN-EGYPTIAN ((SXP)	
AMER ICAN	
OF	
ESTIMATED GRADE AND STAPLE LENGTH	
97	
GRADE ,	
ESTIWATED	

	AR1 ZONA-	ARIZONA-C.1LIFORNIA	NEW MEXICO & D	NEW MEXICO & DIST. 6 OF TEXAS	TOTAL	
GRADE AND STAPLE LENGTH	NOVEMBER 1 NOVEMBER 13	SEASON THRU	NOVEWBER 1 NOVEMBER 13	SEASON THRU NOVEMBER 13	NOVEMBER 13	SEASON THRU NOVEMBER 13
GRADE	1945 1946 · PCT. PCT.	1945 1946 PCT. PCT.	1945 1946 PCT. PCT.	1945 1946 PCT, PCT.	1945 1946 PCT. PCT.	1945 1946 FCT. PCT.
1-1/2 2-1/2 3-1/2 4-1/2 5 AND BELOW	25.6 12.6 67.0 37.4 66.4 21.8 4 68.8 4 68.8 2 0.8 68.8 4 6	0.00 28.4 2.6 	39.6 28.7 59.9 42.6 59.5 28.7	59.7 60.4 59.7 33.7 9.6 5.9	7.4 12.0 40.3 26.8 38.6 23.5 3.6 10.0	4.7.4 4.5.9 4.5.9 4.5.2 4.5.2 4.5.3 4.
ALL GRÁDES	100.0 100.0	100,0 100,0	100.0 100.0	100.0 100.0	0.001 0.001	100.0 100.0
LENGTH (INCHES) 1-9/32 AND SHORTER. 1-5/16 AND 1-1/32. 1-7/16 AND 1-15/32. 1-7/16 AND 1-15/32. 1-1/2 AND 1-17/32.	. 22.1 75.7 1.8	29.1 29.1 70.0 91.6 7.5	18.0 39.4 100.0 42.6	3.0 17.2 100.0 72.3	12.7 18.2 86.1 73.6	18.7 1.5 80.8 82.0 6.5 5.0
ALL LENGTHS	100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0	100,0 100,0	100.0 100.0
*LESS THAN 0.05 PERCENT.						